

P11 2024

Staffing metrics 3.0 -

https://docs.google.com/spreadsheets/d/1_An84gqQ8hwSOFefe483KMiGruJcRpJvACFYU-oDex0/edit?usp=sharing


Dough Training refresh done based on latest guidance. Certifications Mycore4 etc. on Zenput.
Assigned to all stores.

Revisit of all store training presentation binders to reinforce usage and maintenance of this system.



Pulse Oven Timing

Consider verifying the oven time in your store's Pulse system to ensure store operations and customer expectations are accurate.



PULSE TIME = Midpoint to Midpoint Belt Travel + 30 Seconds to Box

How to Measure the Correct Oven Time in Your Store's Pulse System

- Place a 12" screen so the center of the screen is at the midpoint of the oven belt on the entry side. This mimics the loading placement that typically occurs when a store is busy and items cannot be loaded closer to the oven chamber entrance.
- Use a timer to see how long it takes the center of the 12" screen to travel from the midpoint of the oven entrance to the midpoint of the oven exit.
- Take the time it took for the screen to travel completely through this path and add 30 seconds to account for the time it will take the oven tender to complete and box each item. This is the time you can enter into your store's Pulse system.
- Caution: Avoid adding any other extra time to the oven time in your store's Pulse system. If the timing does not closely match, delivery orders may require your store manager's approval to early dispatch the orders.
- Your store's oven time can also be viewed in PWR < Keys < Service Exceptions < Oven Time Setting. Oven times in Pulse and PWR are shown as decimals, so 8 minutes and 30 seconds will appear as 8.5.

NOTICE FOR FRANCHISEES AND THEIR EMPLOYEES: Franchisees and their employees may use these materials, or not, at their discretion. These materials are provided for general informational purposes only and do not, and are not intended to, constitute legal advice. Compliance with any and all information provided in these materials is not a guarantee that accidents or losses will not occur or that franchisees will be in compliance with applicable legal requirements. Franchisees should consult their own legal counsel concerning their particular facts and circumstances and any specific legal questions they may have regarding the issues addressed in these materials. As independent business owners, franchisees remain solely responsible for the operation of their stores, including, without limitation, all employment practices and policies, all safety and security issues, and all other workplace issues. The persons who work in stores owned and operated by franchisees are employees of the franchisee, and not employees of Domino's Pizza LLC or its affiliated entities. By providing these materials, Domino's Pizza LLC and its affiliated entities do not assume any responsibilities or duties of franchisees or their employees.

7.6 Oven and oven hood in good repair

- All ovens must be functioning and in good repair.
- The exterior of ovens, hood vents and filters, and fan guards must be in good repair.
- Oven windows, oven controls, and conveyor belt/oven fingers must be in good repair.
- Chain guards must be in place and in good condition.
- Catch trays must be present and in good condition on all ovens.
- There should be no rust on the interior or exterior.
- Hood vent filters must be installed properly.

Approved Oven Guidelines

The following ovens are approved for use in Domino's stores:

| XLT | | |
|--|-------------------|----------------------------|
| Oven Type | Minimum Oven Time | Temperature Recommendation |
| 2440 TSD & TS3 by BOFI 3240 TSD & TS3 by BOFI 3255 TSD & TS3 by BOFI 3855 TSD & TS3 by BOFI 3270 TSD & TS3 by BOFI 3870 TSD & TS3 by BOFI | 6:30 | 450°F – 475°F |
| 3240H | 5:20 | 455°F |
| 3255C 3270C 1B & 2B | 7:00 | 455°F – 465°F |
| 3255D | 7:00 | 440°F – 460°F |
| 3270D 2B | 7:00 | 450°F – 460°F |
| 3255F 3270F | 6:40 | 425°F – 430°F |
| 3255G 3855G | 7:00 | 425°F – 435°F |
| 3270G 3870G | 6:55 | 420°F – 430°F |
| 3255H 3855H | 6:00 | 440°F – 470°F |
| 3270H 3870H | 6:20 | 440°F |
| 3265H-DS | 5:00 | 440°F |
| 4455TS | 5:15 | 490°F - 500°F |

| MIDDLEBY MARSHALL | | |
|---|-------------------|----------------------------|
| Oven Type | Minimum Oven Time | Temperature Recommendation |
| PS200 | 7:00 | 450°F – 480°F |
| PS350 PS360 360Q 360G WOW PS360Q Tandem PS360WB PS360WB70 PS360EWB | 7:00 | 470°F – 510°F |
| PS536 | 6:30 | 450°F – 480°F |
| PS520 PS540 (Gas) PS555 PS555Q | 6:30 | 450°F – 470°F |
| PS540 (Electric) | 6:30 | 500°F – 520°F |
| PS570 PS570Q | 6:30 | 450°F – 500°F |
| 640 WOW 670 WOW | 6:00 | 450°F – 495°F |

| LINCOLN WEAREVER | | |
|--|-------------------|----------------------------|
| Oven Type | Minimum Oven Time | Temperature Recommendation |
| 1022 1040 1023 1116 1000 1452 1453 | 6:30 | 490°F – 510°F |

| EDGE | | |
|--------------------------------|-------------------|----------------------------|
| Oven Type | Minimum Oven Time | Temperature Recommendation |
| 3240 3260S 3270 4460S | 5:00 | 500°F - 510°F |

Cutting Edge

The Cutting Edge refers to an operational process that includes modifications to a store's physical layout and operational procedures such as the use of a rocker blade and flat boxing. In order to protect the integrity, public perception, and reputation of the Domino's brand, trademarks, and goodwill, the following minimum Standards are expected to be followed by and enforced under the supervision of franchisees and the managers of corporate stores.

- A. The store must use a rocker blade that is NSF or UL approved, and the rocker blade should be sharpened regularly and used with two hands when cutting pizzas.
- B. The store must use an approved cut table or centerpiece.
- C. The store must use an approved catcher to catch disks/screens exiting the oven.
- D. The store must use a receipt printer at the cut table and avoid placing dipping cups and other computer equipment on the cut table.
- E. The store must calibrate its ovens to a single oven time and temperature to achieve end-bake characteristics as defined by the Product Standards. Refer to the Oven Standards and Oven Calibration Guide for oven specifications and guidance.

Cleanliness Range

Baking Equipment



Excellent


Acceptable

Unacceptable


Screens



Disk



Specialty Chicken Tray



Baking Mats



Pans



NOTICE TO FRANCHISEES AND THEIR EMPLOYEES: These materials contain information related to optional technologies and business practices. As independent business owners, franchisees may use or not use these optional technologies, business practices, and materials in their sole discretion. Franchisees must determine the policies, procedures, and practices to be implemented in their stores regarding the issues addressed in these materials and must ensure compliance with applicable federal, state, and local laws. Franchisees are solely responsible for the operation of their stores including, without limitation, employment and pay practices, safety and security matters, and other workplace issues. The persons who work in stores owned and operated by franchisees are employees of the franchisee, and not employees of Domino's Pizza LLC or its affiliated entities. These materials are for general informational purposes only and do not, and are not intended to, constitute legal advice. By providing these materials, Domino's Pizza LLC and its affiliated entities

These materials also contain information related to optional functions of the Domino's Pulse system. As independent business owners, franchisees may use or not use these optional Pulse functions in their sole discretion. Any information generated by these optional Pulse functions is only as accurate as the information franchisees enter to input into their Pulse system and franchisees must confirm the accuracy of the information. The Pulse system is neither intended nor able to be utilized as a payroll system; franchisees should utilize a qualified third-party payroll vendor solution and/or an accounting service provider to perform such services and should also consult with their own legal counsel. Franchisees must determine the policies, procedures, and settings that need to be implemented in their stores to ensure that their use of these optional Pulse functions complies with all applicable legal requirements.

REMEMBER: Estimated Average Delivery Time ("eADT") and estimated Extreme Deliveries use a third-party web mapping service to estimate the time it should take to complete a delivery. Actual time on the road has no impact and there is nothing personnel making a delivery can do on the road to impair or improve these estimates. Personnel making a delivery should always operate a vehicle/bicycle safely and observe all applicable traffic laws when on the road.

Cleanliness Range

Oven



Utilize this optional tool to help identify what stage your baking equipment is in to help plan for your next cleaning.

Excellent

Acceptable

Unacceptable

Exterior



Fingers



Belt



Hood



NOTICE TO FRANCHISEES AND THEIR EMPLOYEES: These materials contain information related to optional technologies and business practices. As independent business owners, franchisees may use or not use these optional technologies, business practices, and materials in their sole discretion. Franchisees must determine the policies, procedures, and practices to be implemented in their stores regarding the issues addressed in these materials and must ensure compliance with applicable federal, state, and local laws. Franchisees are solely responsible for the operation of their stores including, without limitation, employment and pay practices, safety and security matters, and other workplace issues. The persons who work in stores owned and operated by a franchisee are employees of the franchisee, and not employees of Domino's Pizza LLC or its affiliated entities. These materials are for general informational purposes only and do not, and are not intended to, constitute legal advice. By providing these materials, Domino's Pizza LLC and its affiliated entities

These materials also contain information related to optional functions of the Domino's Pulse system. As independent business owners, franchisees may use or not use these optional Pulse functions in their sole discretion. Any information generated by these optional Pulse functions is only as accurate as the information franchisees elect to input into their Pulse system and franchisees must confirm the accuracy of the information. The Pulse system is neither intended nor able to be utilized as a payroll system; Franchisees should utilize a qualified third-party payroll solution and/or an accounting service provider to perform such services and should also consult with their own legal counsel. Franchisees must determine the policies, procedures, and settings that need to be implemented in their stores to ensure that their use of these optional Pulse functions complies with all applicable legal requirements.

REMEMBER: Estimated Average Delivery Time ("EADT") and estimated Extreme Deliveries use a third-party web mapping service to estimate the time it should take to complete a delivery. Actual time on the road has no impact and there is nothing personnel making a delivery can do on the road to impair or improve these estimates. Personnel making a delivery should always operate a vehicle/bicycle safely and observe all applicable traffic laws when on the road.

Product Calibration

Calibrate Handtossed Pizzas

- A. Prepare a 14" Handtossed Pepperoni Pizza and a 14" Hand Tossed Cheese Only Pizza.
- B. Place staggered on oven belt, to ensure time to document bake and record temperature.
- C. Wait for the product to fully exit the bake chamber before removing.
- D. Evaluate Handtossed Pizzas to ensure end bake meets ideal specifications. Refer to the matrix below for adjustment guidance.
 1. Take internal temperature (between the crust and the cheese layer) and ensure it is no less than 165°F (74 °C).
 2. Once pizzas are slightly cooled, flip over every other slice to evaluate bottom bake.



3. Any coloring lighter than the yellow line is too light, while any coloring darker than the red line is considered too dark.
 - i. If pizza is too light, increase oven temperature by 5°F (3°C). If bake is too dark, reduce the oven temperature by 5°F (3°C).
4. Once bottom bake is noted, cut vertically through all flipped slices (using approved cut test blade, begin at crust cut through tip) to evaluate the rise of the pizza.
 - i. If there is a gel layer, insufficient rise, or dense and very few air pockets, increase the oven belt time by 5 seconds.
 1. Utilize the End Bake card set to evaluate pizza characteristics
- E. If any time or temperature adjustments are necessary, repeat steps A – D at new time and/or temperature until the Handtossed pizzas meet ideal specifications. Once that occurs, proceed to the next step.

NOTICE TO FRANCHISEES AND THEIR EMPLOYEES: These materials contain information related to optional technologies and business practices. As independent business owners, franchisees may use or not use these optional technologies, business practices, and materials in their sole discretion. Franchisees must determine the policies, procedures, and practices to be implemented in their stores regarding the issues addressed in these materials and must ensure compliance with applicable federal, state, and local laws. Franchisees are solely responsible for the operation of their stores including, without limitation, employment and pay practices, safety and security matters, and other workplace issues. The persons who work in stores owned and operated by a franchisee are employees of the franchisee, and not employees of Domino's Pizza LLC or its affiliated entities. These materials are for general informational purposes only and do not, and are not intended to, constitute legal advice. By providing these materials, Domino's Pizza LLC and its affiliated entities do not assume any responsibilities or duties of franchisees or any responsibility to update these materials for subsequent developments. The use of and/or reliance on these materials is not a guarantee that accidents or losses will not occur or that franchisees will be in compliance with applicable legal requirements. Franchisees should consult their own legal counsel concerning their particular facts and circumstances and any specific legal questions they may have regarding the issues addressed in these materials.

These materials also contain information related to optional functions of the Domino's Pulse system. As independent business owners, franchisees may use or not use these optional Pulse functions in their sole discretion. Any information generated by these optional Pulse functions is only as accurate as the information franchisees elect to input into their Pulse system and franchisees must confirm the accuracy of the information. The Pulse system is neither intended nor able to be utilized as a payroll system; franchisees should utilize a qualified third-party payroll vendor solution and/or an accounting service provider to perform such services and should also consult with their own legal counsel. Franchisees must determine the policies, procedures, and settings that need to be implemented in their stores to ensure that their use of these optional Pulse functions complies with all applicable legal requirements.

Optional Reference Guide: Food Safety Section

Operations Assessment Trends



This reference guide identifies the highest opportunities observed during the official Operations Assessments


Food Safety

Food packaging, food contact surfaces, equipment, and chemicals protected from cross-contamination and stored off of floor:

- Food products and food contact surfaces must not be stored on top of the oven or oven surfaces

Most observed food products & food contact surfaces stored on top of the oven/oven surfaces:

- Pans & Disks/Screens
- Oregano & Garlic Herb Shake-on
- Bubble Fork




Food packaging, food contact surfaces, equipment, and chemicals protected from cross-contamination and stored off of floor:

- Food contact items (e.g., food containers, utensils, product boxes) shall be stored inverted or otherwise protected

Most observed food contact items not stored inverted or protected:


- Prep Containers/Bins stored upright.
- Opened product boxes that are not protected.
- Pasta tins stored upright.



PRO-TIPS!

- Flip the top product box, upside down.
- If the plastic has been removed, flip the bottom box up, and store the additional boxes face side down.

- Once the pasta tins box has been opened, fold the top OR open the case upside down. Pasta tins at the makeline, ensure they are stored inverted.



NOTES TO FRANCHISEES AND THEIR EMPLOYEES: These materials contain information related to optional technologies and business practices. As independent business owners, franchisees may use or not use these optional technologies, business practices, and materials in their sole discretion. Franchisees must determine the policies, procedures, and practices to be implemented in their stores regarding the issues addressed in these materials and must ensure compliance with applicable federal, state, and local laws. Franchisees are solely responsible for the operation of their stores including, without limitation, employment and pay practices, safety and security matters, and other workplace issues. The persons who work in stores owned and operated by a franchisee are employees of the franchisee, and not employees of Domino's Pizza LLC or its affiliated entities. These materials are for general informational purposes only and do not, and are not intended to, constitute legal advice. By providing these materials, Domino's Pizza LLC and its affiliated entities do not assume any responsibilities or duties of franchisees or any responsibility to update these materials for subsequent developments. The use of and/or reliance on these materials is not a guarantee that accidents or losses will not occur or that franchisees will be in compliance with applicable legal requirements. Franchisees should consult their own legal counsel concerning their particular facts and circumstances and any specific legal questions they may have regarding the issues addressed in these materials. These materials also contain information related to optional functions of the Domino's Pulse system. As independent business owners, franchisees may use or not use these optional Pulse functions in their sole discretion. Any information generated by these optional Pulse functions is only as accurate as the information franchisees select to input into their Pulse system and franchisees must confirm the accuracy of the information. The Pulse system is neither intended nor able to be utilized as a payroll system; franchisees should utilize a qualified third-party payroll vendor solution and/or an accounting service provider to perform such services and should also consult with their own legal counsel. Franchisees must determine the policies, procedures, and settings that need to be implemented in their stores to ensure that their use of these optional Pulse functions complies with all applicable legal requirements. **REMEMBER:** Estimated Average Delivery Time ("eADT") and estimated Extreme Delivery Time use a third-party web mapping service to estimate the time it should take to complete a delivery. Actual time on the road has no impact and there is nothing personnel making a delivery can do on the road to impair or improve these estimates. Personnel making a delivery should always operate a vehicle/bicycle safely and observe all applicable traffic laws when on the road.

Revision #13

Created 21 October 2024 22:24:20 by Erich

Updated 12 November 2024 17:48:18 by Erich